



Fit Test Evalua	ition and Educat	ion Form		HCA EALTH CARE ASSOCIATION
Employee's Name				
Employee's Department / ID#				
Employee's Title				
Date of Last Fit Test				
Result of Last Fit Test				
Today's Test Date				
Test Administrator's Name				
Type of Fit Test (circle):Initial Fit Test	Annual Fit Test	New Mode	el i	Requested
Pre-Test Requirements (circle) <u>Exercise: Demonstrate respirators and discuss limitations</u>				
Did the employee eat, drink, chew gum, etc. w	ithin the last 15 minutes	?	Yes	No
Has the employee lost/gained 20 lbs. since the			Yes	No
Has the employee experienced significant facia	I scarring since last test	or recently?	Yes	No
Has the employee recently had significant dent	-		Yes	No
Does the employee have facial hair that may a			Yes	No
Respirator Selection	Exercise: Assist emplo	oyee with se	lection proces	<u>s</u>
				C
Selection #1 <u>Type</u> : N95 Manufacturer:		Style/SKU:		_ Size:
Selection #3 <u>Type</u> : N95 Manufacturer:		Style/SKU:		_ Size:
Adequacy of Respirator Fit & Employee Knowledge	Exercise: Allow the er	nployee 5 m	inutes to accli	mate
Room for the eye protection and other PPE?		Yes	No	
Does mask fit across nose bridge?		Yes	No	
Does mask reach from nose to cover chin?		Yes	No	
Are straps positioned around lower neck and crown of head?		Yes	No	
Does employee show proficiency with donning and doffing?		Yes	No	
Does employee show proficiency with user seal checks?		Yes	No	
Sensitivity Testing <u>Exercise: Put the hood on, no respirator, tongue exposed</u>				
Could the subject taste the Bitrex or Saccharin	solution?	Yes	No	
Indicate the number of nebulizer squeezes nee	ded:	x10	x20 x30_	
Testing Exercises Exercise: Use same # of squeezes to start, then half every 30 seconds, 1 minute per exercise				
Normal breathing		Pass	Fail	
Deep breathing		Pass Pass	Fail	
Turning head side to side		Pass Pass	Fail	
Turning head up and down		Pass Pass	Fail	
Bending at the waist and knees		Pass Pass	Fail	
Grimacing		Pass Pass	Fail	
Talking or Counting		Pass Pass	Fail	
Normal Breathing		Pass Pass	Fail	
Normal Breathing		1 435	i dii	
Final Test Results		Pass	Fail	
Employee's Signature:		_ Da	ate:	